

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product name : LeviCell Install Bead Mix 2

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : Research use only

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**LevitasBio  
1455 Adams Drive  
Menlo Park, CA 94025**1.4. Emergency telephone number**

Emergency number : 408-663-4260

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

**Adverse physicochemical, human health and environmental effects**

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

No labelling applicable

**2.3. Other hazards**

No additional information available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	> 98	Not classified
Methyl methacrylate polymer	(CAS-No.) 9011-14-7 (EC-No.) 618-466-4	1 - 5	Not classified
Polyoxyethylene sorbitan monolaurate	(CAS-No.) 9005-64-5 (EC-No.) 500-018-3	0.1 - 1	Not classified

# LeviCell Install Bead Mix 2

## Safety Data Sheet

Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	< 0.1	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
--------------	---	-------	---

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.
----------------------	--

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

# LeviCell Install Bead Mix 2

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Methyl methacrylate polymer (9011-14-7)

##### Bulgaria - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
------------------------------	----------------------

#### Sodium azide (26628-22-8)

##### EU - Occupational Exposure Limits

IOELV TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
--------------------------------	-----------------------

IOELV STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
---------------------------------	-----------------------

Notes	Possibility of significant uptake through the skin
-------	--

##### Austria - Occupational Exposure Limits

MAK Daily average value (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
--	-----------------------

MAK Short time value [mg/m <sup>3</sup> ]	0.3 mg/m <sup>3</sup>
---	-----------------------

OEL chemical category (AT)	Skin notation
----------------------------	---------------

##### Belgium - Occupational Exposure Limits

OEL chemical category (BE)	Skin, Skin notation
----------------------------	---------------------

##### Bulgaria - Occupational Exposure Limits

OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
------------------------------	-----------------------

OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
-------------------------------	-----------------------

##### Croatia - Occupational Exposure Limits

GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
--	-----------------------

KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
--	-----------------------

# LeviCell Install Bead Mix 2

## Safety Data Sheet

<b>Sodium azide (26628-22-8)</b>	
OEL chemical category (HR)	Skin notation
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (CY)	Skin-potential for cutaneous absorption
<b>Czech Republic - Occupational Exposure Limits</b>	
Expoziční limity (PEL) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL chemical category (CZ)	Potential for cutaneous absorption
<b>Denmark - Occupational Exposure Limits</b>	
Grænseværdi (8 timer) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL chemical category (DK)	Potential for cutaneous absorption
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (ET)	Sensitizer, Skin notation
<b>Finland - Occupational Exposure Limits</b>	
HTP-arvo (8h) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
HTP-arvo (15 min)	0.3 mg/m <sup>3</sup>
OEL chemical category (FI)	Potential for cutaneous absorption
<b>France - Occupational Exposure Limits</b>	
VME [mg/m <sup>3</sup> ]	0.1 mg/m <sup>3</sup> (restrictive limit)
VLE [mg/m <sup>3</sup> ]	0.3 mg/m <sup>3</sup> (restrictive limit)
OEL chemical category (FR)	Risk of cutaneous absorption
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
Occupational exposure limit value (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup>
<b>Gibraltar - Occupational Exposure Limits</b>	
Eight hours mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
Short-term mg/m <sup>3</sup>	0.3 mg/m <sup>3</sup>
OEL chemical category (GI)	Skin notation
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL TWA (ppm)	0.1 ppm
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL STEL (ppm)	0.1 ppm
<b>Hungary - Occupational Exposure Limits</b>	
AK-érték	0.1 mg/m <sup>3</sup>
CK-érték	0.3 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL (8 hours ref) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL (15 min ref) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (IE)	Potential for cutaneous absorption

# LeviCell Install Bead Mix 2

## Safety Data Sheet

<b>Sodium azide (26628-22-8)</b>	
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (IT)	skin - potential for cutaneous absorption
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL chemical category (LV)	skin - potential for cutaneous exposure
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
TPRV (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (LT)	Skin notation
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL chemical category (LU)	Possibility of significant uptake through the skin
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (MT)	Possibility of significant uptake through the skin
<b>Netherlands - Occupational Exposure Limits</b>	
Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
MAC chemical category	Skin notation
<b>Poland - Occupational Exposure Limits</b>	
NDS (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
NDSch (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (indicative limit value)
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup> (indicative limit value)
OEL - Ceilings (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
OEL - Ceilings (ppm)	0.11 ppm (vapor)
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (RO)	Skin notation
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (priemerná) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
NPHV (Hraničná) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (SK)	Potential for cutaneous absorption
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>

# LeviCell Install Bead Mix 2

## Safety Data Sheet

Sodium azide (26628-22-8)	
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (SI)	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (indicative limit value)
VLA-EC (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (ES)	skin - potential for cutaneous absorption
Sweden - Occupational Exposure Limits	
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
kortidsvärde (KTV) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
WEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdier (AN) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
Grenseverdier (Korttidsverdi) (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup> (value from the regulation)
Switzerland - Occupational Exposure Limits	
MAK (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (inhalable dust)
KZGW (mg/m <sup>3</sup> )	0.4 mg/m <sup>3</sup> (inhalable dust)
Turkey - Occupational Exposure Limits	
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	0.3 mg/m <sup>3</sup>
OEL chemical category (TR)	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH Ceiling (mg/m <sup>3</sup> )	0.29 mg/m <sup>3</sup>
ACGIH Ceiling (ppm)	0.11 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

### 8.2. Exposure controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

**Personal protective equipment:**

Avoid all unnecessary exposure.

**Hand protection:**

Wear protective gloves.

**Eye protection:**

Chemical goggles or safety glasses.

**Skin and body protection:**

Wear suitable protective clothing

# LeviCell Install Bead Mix 2

## Safety Data Sheet

---

### Respiratory protection:

None required under normal product handling conditions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Polystyrene microspheres suspended in water.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

None.

### 10.5. Incompatible materials

Not determined.

### 10.6. Hazardous decomposition products

Not determined.

# LeviCell Install Bead Mix 2

## Safety Data Sheet

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Water (7732-18-5)

LD50 oral rat	> 90 ml/kg
---------------	------------

#### Sodium azide (26628-22-8)

LD50 oral rat	27 mg/kg
LD50 dermal rabbit	20 mg/kg

#### Polyoxyethylene sorbitan monolaurate (9005-64-5)

LD50 oral rat	37000 mg/kg
---------------	-------------

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

#### Methyl methacrylate polymer (9011-14-7)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### Sodium azide (26628-22-8)

LC50 fish 1	0.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)



# LeviCell Install Bead Mix 2

## Safety Data Sheet

### 12.2. Persistence and degradability

#### LeviCell Install Bead Mix 2

Persistence and degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative potential

#### LeviCell Install Bead Mix 2

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

# LeviCell Install Bead Mix 2

## Safety Data Sheet

### 14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# LeviCell Install Bead Mix 2

## Safety Data Sheet

### SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.